



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/603,891	06/24/2003	Kenneth F. Buechler	071949-6804	4895

30542 7590 09/11/2006

FOLEY & LARDNER LLP
P.O. BOX 80278
SAN DIEGO, CA 92138-0278

EXAMINER

JUNG, UNSU

ART UNIT PAPER NUMBER

1641

DATE MAILED: 09/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/603,891

Applicant(s)

BUECHLER ET AL.

Examiner

Unsu Jung

Art Unit

1641

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 July 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-36 is/are pending in the application.
- 4a) Of the above claim(s) 18-36 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>See Continuation</u> . | 6) <input type="checkbox"/> Other: _____ |

10/24/03, 1/24/05, 4/7/05, 6/27/05, 9/6/05, 2/8/06, and 4/25/06, 08/18/06

DETAILED ACTION

1. Applicants' preliminary amendments to the specification in the replies filed on September 10, 2003 and August 23, 2004 have been acknowledged and entered.

2. Claims 1-36 are pending.

Election/Restrictions

3. Applicant's election of Group I (claims 1-17) with species election of B-natriuretic peptide, free and complexed cardiac troponin T, C-reactive protein, D-dimer, and pulmonary embolism in the reply filed on July 6, 2006 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).

Applicants' species election reads on claims 1-17, which are under consideration for their merits.

Information Disclosure Statement

4. The information disclosure statement (IDS) submitted on October 24, 2003 has been considered by the examiner. However, the IDS submitted on October 24, 2003 contains number of minor errors, which are listed below:

- Application number, filing date, and attorney docket number should be corrected to current Application number of 10/603,891, filing date of 06/24/2003, and attorney docket number of 071949-6804 on each page of the IDS;
- C13 (p3 of 27): volume number 9 of the journal is missing;
- C26 and C27 (p4 of 27): journal information (journal name, volume, pages, and year) as indicated on the IDS should be corrected;
- C62 (p6 of 27): volume number should be corrected to "114B";
- C66 (p7 of 27): the word "center" should be corrected to "cancer";
- C73 (p7 of 27): the last name of the author should be corrected to "Portales";
- C98 (p9 of 27): the volume number should be corrected to "78";
- C103 (p10 of 27): quotation mark is missing from the title;
- C124 (p11 of 27): a comma following the word "Clin." should be deleted;
- C149 (p13 of 27): quotation mark is missing from the title;
- C179 (p15 of 27): page number "641" should be corrected to "647";
- C185 (p16 of 27): the title should be corrected to "Cerebral ischemia produces ladder DNA fragments distinct from cardiac ischemia and archetypal apoptosis";
- C204 (p17 of 27): the journal name should be corrected to "J. Biol. Chem.";
- C261 (p21 of 27): the volume number should be corrected to 17;
- C281 (p23 of 27): the publication year should be corrected to "1985";
- C299 (p24 of 27): the page number should be corrected to "485-507";

Art Unit: 1641

- C314 (p26 of 27): the title should be corrected to "Serum measurements of eosinophil cationic protein (ECP) in bronchial asthma"
- C327 (p27 of 27): the page number should be corrected to "170-6"; and
- C328 (p27 of 27): the page number should be corrected to "285-297."

5. The information disclosure statement filed on September 6, 2005 fails to comply with 37 CFR 1.98(a)(1), which requires the following: (1) a list of all patents, publications, applications, or other information submitted for consideration by the Office; (2) U.S. patents and U.S. patent application publications listed in a section separately from citations of other documents; (3) the application number of the application in which the information disclosure statement is being submitted on each page of the list; (4) a column that provides a blank space next to each document to be considered, for the examiner's initials; and (5) a heading that clearly indicates that the list is an information disclosure statement. The information disclosure statement has been placed in the application file, but the information referred to therein has not been considered.

The last two pages of the IDS filed on September 6, 2005 is in PTO-892 format not in a proper IDS form as required by 37 CFR 1.98(a)(1). However, the non-patent literature references cited on the last two pages of the IDS are included in the first page of the IDS, which is in a proper IDS form in accordance with 37 CFR 1.98(a)(1). Therefore, the non-patent literature references cited on the last two pages of the IDS have been considered.

Specification

4. The amendment filed on August 23, 2004 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: SEQ ID NO:3. Applicants assert that no new matter is introduced in the new Sequence Listing submitted on August 23, 2004, which includes SEQ ID NO:1-3. Applicants state that the new Sequence Listing raises no issue of new matter as it merely represents sequences originally set forth in the application. However, Applicants do not provide specific section of the specification for support. While support for SEQ ID NO:1 and SEQ ID NO:2 is found on the originally filed specification on p19, support for SEQ ID NO:3 is not found in the specification. Therefore, SEQ ID NO:3 is not supported by the originally disclosure.

Applicant is required to cancel the new matter in the reply to this Office Action.

5. The use of the trademarks ELECSYS® (p100, paragraph [0239], line 3), AXSYM® (p100, paragraph [0239], line 3), ACCESS® (p100, paragraph [0239], line 3), TWEEN® (p103, paragraph [0252], line 5), and ATTOPHOS® (p103, paragraph [0252], line 9) has been noted in this application. It should be capitalized wherever it appears and be accompanied by the generic terminology.

Although the use of trademarks is permissible in patent applications, the proprietary nature of the marks should be respected and every effort made to prevent their use in any manner which might adversely affect their validity as trademarks.

Claim Rejections - 35 USC § 112, first paragraph

6. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

7. Written Description

Claims 1-10, 13, and 15-17 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

MPEP states that the purpose of the written description requirement is to ensure that the inventor had possession, as of the filing date of the application, of the specific subject matter later claimed. The MPEP lists factors that can be used to determine if sufficient evidence of possession has been furnished in the disclosure of the application. These include "level of skill and knowledge in the art, partial structure, physical and/or chemical properties, functional characteristics alone or coupled with a

known or disclosed correlation between structure and function, and the method of making the claimed invention.” MPEP § 2163.

Further, for a broad generic claim, the specification must provide adequate written description to identify the genus of the claim. The MPEP states that:

“The written description requirement for a claimed genus may be satisfied through sufficient description of a representative number of species by actual reduction to practice...or by disclosure of relevant, identifying characteristics, i.e. structure or other physical and/or chemical properties, by functional characteristics coupled with a known or disclosed correlation between function and structure, or by a combination of such identifying characteristics, sufficient to show the applicant was in possession of the claimed genus” MPEP § 2163.

The MPEP does state that for a generic claim, the genus can be adequately described if the disclosure presents a sufficient number of representative species that encompass the genus. MPEP § 2163. If the genus has a substantial variance, the disclosure must describe a sufficient variety of species to reflect the variation within that genus. See MPEP § 2163. Although the MPEP does not define what constitutes a sufficient number of representative species, the courts have indicated what do not constitute a representative number of species to adequately describe a broad generic. In *Gostelli*, the courts determined that the disclosures of two chemical compounds within a subgenus did not describe that subgenus. In re Gostelli 872, F.2d at 1012, 10 USPQ2d at 1618.

In the instant case, the claims are drawn to a method of analyzing a subject sample for a plurality of subject-derived marker selected to distinguish amongst a plurality of cardiovascular disorders, wherein the subject-derived markers include at least one blood pressure regulation markers and at least one myocardial injury markers.

The claims are not limited as to the number of markers, since claim 1 recites "one or more subject-derived markers" and would encompass, for example 20 different blood regulation markers, 18 myocardial injury markers, 18 inflammation markers, and 15 coagulation and hemostasis markers as recited in claims 3, 7, and 11. The specification discloses that these markers can be combined into panels comprising 1-20 or more markers (p101, paragraph [0241]), which means that there are at least more than 2×10^{61} different panels that can be made up from various possible marker combinations, i.e. 2×10^{61} different assays measuring different sets of markers in order to carry out the claimed invention. The prior art does not teach methods of determining all possible panels to distinguish amongst a plurality of cardiovascular disorders (since presumably not all of the markers would be indicative of all cardiovascular disorders). However, the specification provides data for fewer than 9 different marker combinations for distinguishing a plurality of cardiovascular disorders, which only include myocardial infarction (MI), congestive heart failure (CHF), acute coronary syndrome, unstable angina, and pulmonary embolism (p7, paragraph [0022], p9, paragraph [0028], and Examples 3-5). Therefore, the specification would not reasonably convey possession of the entire genus of the more than 2×10^{61} different marker panels encompassed by the claims.

Since each marker represents a unique polypeptide of distinct structure and functional properties, methods that involve the detection of different markers or different sets of markers would differ substantially. For example, any given marker would not be capable of distinguishing "all cardiovascular disorders." In light of substantial variance

Art Unit: 1641

among the genus of methods claimed, one skilled in the art would not understand the inventor(s) to have possession of the entire genus based on the limited methods described.

Accordingly, it is deemed that the specification fails to provide adequate written description for the genus of claims and does not reasonably convey to one skilled in the relevant art that the inventor(s), at the time of the application was filed, had possession of the entire genus of the claimed invention.

8. Enablement

Claims 1-10, 13, and 15-17 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for distinguishing between MI and pulmonary embolism using subject-derived markers comprising cardiac-specific troponin isoforms, B-type natriuretic peptide (BNP), and D-dimer, does not reasonably provide enablement for a method of analyzing a subject sample for a plurality of subject-derived markers selected to distinguish amongst a plurality of cardiovascular disorders, wherein the subject-derived markers include blood pressure regulation, myocardial injury, inflammation, coagulation and hemostasis related markers. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims.

The nature of the invention is drawn to a method of analyzing a subject sample for a plurality of subject-derived markers selected to distinguish amongst a plurality of

Art Unit: 1641

cardiovascular disorders, wherein the subject-derived markers include at least one blood pressure regulation markers and at least one myocardial injury markers. The invention is further drawn to assaying for additional subject-derived markers related to inflammation and coagulation and hemostasis.

The claims are broad in many aspects. Distinguishing amongst a plurality of cardiovascular disorders is not limited, and therefore the plurality of cardiovascular disorders can include any abnormalities of the heart and vasculature as defined by the original specification (p18, paragraph [0057]). The term "cardiovascular disorders" is intended to include, but is not limited to, renovascular hypertension, CHF, aortic aneurysm, iliac or femoral aneurysm, pulmonary embolism, MI, acute coronary syndrome, angina, primary hypertension, atrial fibrillation, systolic dysfunction, diastolic dysfunction, myocarditis, atherosclerosis, atrial tachycardia, ventricular fibrillation, endocarditis, and peripheral vascular disease (p18, paragraph [0057]). Thus, the term "cardiovascular disorders" include list provided in the original specification as discussed above as well as cardiovascular disorders, which have not been specifically disclosed by the specification. With regards to the distinguishing amongst a plurality of cardiovascular disorders, the number of subject-derived markers needed in a panel to distinguish amongst a plurality of cardiovascular disorders is governed by the number of the plurality of cardiovascular disorders. The specification defines the term "plurality" as being "at least two" and "at least 100" in particularly preferred embodiments (p21, paragraph [0070]). As the number of types of cardiovascular disorders increases, the number of subject-derived markers needed in a panel would increase as many of the

Art Unit: 1641

markers disclosed in the specification as well as the elected species of markers (discussed below) are associated with one or more cardiovascular disorders. In addition, the claims are directed to using a plurality of subject-derived markers, in which the subject-derived markers include at least one blood pressure regulation markers and at least one myocardial injury markers in order to distinguish amongst a plurality of cardiovascular disorders. Additional subject-derived markers related to inflammation and coagulation and hemostasis are further included. In addition to the list of specific type of the markers recited in claims 3, 7, and 11, the terms "subject-derived markers related to blood pressure regulation", "subject-derived markers related to myocardial injury", "subject-derived markers related to inflammation", and "subject-derived markers related to coagulation and hemostasis" would include other blood pressure regulation, myocardial injury, inflammation, and coagulation and hemostasis related markers, which have not been disclosed in the specification. The claims recite 20 different blood regulation markers, 18 myocardial injury markers, 18 inflammation markers, and 15 coagulation and hemostasis markers. The specification discloses that these markers can be combined into panels comprising 1-20 or more markers (p101, paragraph [0241]), which means that there are at least more than 2×10^{61} different panels that can be made up from various possible marker combinations, i.e. 2×10^{61} different assays measuring different sets of markers in order to carry out the claimed invention. However, the specification provides data for fewer than 9 different marker combinations for distinguishing a plurality of cardiovascular disorders, which only include MI, congestive, heart failure, acute coronary syndrome, unstable angina, and pulmonary

Art Unit: 1641

embolism (p7, paragraph [0022], p9, paragraph [0028], and Examples 3-5). The specification fails to teach the skilled artisans how to detect all subject-derived markers in all sample types and how to use this information in distinguishing a cardiovascular disorder amongst a plurality of cardiovascular disorders.

The courts have stated that “tossing out the mere germ of an idea does not constitute enabling disclosure.” *Genentech*, 108, F.3d at 1366 (quoting *Brenner v. Manson*, 383 U.S. 519, 536 (1996) (stating, in context of the utility requirement, that a “patent is not a hunting license. It is not a reward for the search, but compensation for its successful conclusion”). “[R]easonable detail must be provided in order to enable members of the public to understand and carry out the invention.” *Id.*

In the instant case, such reasonable detail is lacking. The specification lists a large number of different subject-derived markers, and suggests that one skilled in the art would use information relating to the presence or amount of various different combinations of these markers in order to distinguish a cardiovascular disorder amongst a plurality of cardiovascular disorders. However, the specification fails to identify which specific panel of markers should be measured for each type of cardiovascular disorder amongst a specific group of cardiovascular disorders. The specification further fails to disclose what levels of each marker would be indicative of a particular cardiovascular disorder.

Although the specification outlines art-recognized methodology that can be used in conducting investigational studies to test and validate biomarkers for various diagnostic purposes, such a general roadmap amounts to an invitation to conduct

Art Unit: 1641

further research, rather than a specific direction required to enable one of ordinary skill in the art to understand and carry out the invention. Hence, this general outline for how to test and validate different sets of biomarkers for distinguishing amongst a plurality of cardiovascular disorders fails to constitute an enabling disclosure in light of complexity, unpredictability and laborious nature of biomarker validation (discussed further below) and furthermore fails to provide one skilled in the art with any reasonable expectation of success in using any particular combination of markers to distinguish amongst a plurality of cardiovascular disorders. The specification sets forth a research plan, not an invention to be practiced.

As a result, in order to carry out the claimed invention, one skilled in the art would first need to determine whether any given set of markers claimed could in fact be used diagnostically, i.e. whether the markers claimed are actually valid biomarkers of the particular cardiovascular disorder, which would mean conducting large-scale clinical investigations in order to compare the levels of each marker in both control and disease patients, and to determine whether statistically significant changes in marker levels are observed and correlated with current gold-standard clinical diagnostic methods. This type of clinical investigations would need to be done for each type of cardiovascular disorder. In addition, one skilled in the art would also need to determine what levels or ranges of levels of each of the markers would be indicative of each type of cardiovascular disorder. Such investigative research to test and validate all of the biomarkers for use in distinguishing a cardiovascular disorder is not of a routine nature and clearly represents an undue burden.

For example, Bast, Jr. et al. (*Clinical Cancer Research*, 2005, Vol. 11, pp6103-6108) point to the "lengthy process" of assay development and validation and note that many markers that correlate with disease statistically may not prove to be useful clinically (p6105, right column). Similarly, LaBaer et al. (*Journal of Proteome Research*, 2005, Vol. 4, pp1053-1059) teaches that crucial validation steps are needed to demonstrate that an identified biomarker is a reliable predictor and also that the process of converting such a biomarker into a practical clinical test is even more daunting (p1053, paragraph bridging the left and right columns). In addition, Baker (*Nature Biotechnology*, 2005, Vol. 23, pp297-304) speaks to the unpredictability involved in clinically applying biomarkers (p298, *Walking on Thin Ice*).

Regarding the claimed invention as read on elected species of pulmonary embolism, the specification is enabled for assaying a sample for the amount of subject-derived markers comprising BNP, free and complexed troponin T, and D-dimer. Claims 1-10, 13, and 15-17 are drawn to a method of analyzing a subject sample for a plurality of subject-derived markers, which do not include D-dimer. However, the specification does not reasonably provide enablement for using subject-derived markers, which do not include D-dimer. The current state of the art (Vasan, *Circulation*, 2006, Vol. 113, pp2335-2362) of cardiovascular disease teaches that biomarkers are used to identify high-risk individuals to diagnose disease conditions promptly and accurately (p2335). Vasan teaches that biomarkers can be used as indicators of disease trait (risk factor or risk marker) and diagnostic markers (recognizing overt disease, p2335, right column, first paragraph). For diagnostic markers, features such as high sensitivity, specificity,

Art Unit: 1641

and predictive values are important (p2336, left column and Table 2). None of the markers related to blood pressure regulation, myocardial injury, and inflammation as disclosed in the specification and recited claims 3 and 7 can be used specifically to distinguish pulmonary embolism. Furthermore, markers related coagulation and hemostasis as recited in claim 11 with an exception of D-dimer are not specific markers of pulmonary embolism. The summary of each class of markers is disclosed in the specification (pp30-73). For example, Markers related to blood pressure include A-type natriuretic peptide (ANP) and BNP. Elevations of BNP are associated with raised atrial and pulmonary wedge pressures, reduced ventricular systolic and diastolic function, left ventricular hypertrophy, MI, CHF, and renal failure (pp31-32, paragraph [0109]). Elevated levels of ANP are found during hypervolemia, atrial fibrillation, and CHF. discloses number of markers related to blood pressure regulation, myocardial injury, and inflammation and their association with specific disorders. Free and complexed troponin T, a myocardial injury related marker, provide information related to the presence of progressing myocardial damage (p33, paragraph [0115]). Elevations of C-reactive protein (CRP), an inflammation related marker, have been identified in the plasma of individuals with acute MI and unstable angina, most likely a result of activation of acute phase response associated with atherosclerotic plaque rupture or cardiac tissue injury (p65, paragraph [0166]). Elevations in the plasma concentration of platelet factor 4 (PF4), a coagulation and hemostasis related marker, is associated with clot presence, or any condition that causes platelet activation, which include atherosclerosis, disseminated intravascular coagulation, surgery, trauma, thrombotic

Art Unit: 1641

thrombocytopenic purpura, and acute stroke (pp46-47, paragraph [0144]). Therefore, the markers related to blood pressure regulation, myocardial injury, inflammation, and coagulation and hemostasis with an exception of D-dimer do not satisfy features of diagnostic markers for pulmonary embolism as these markers are indicators of other cardiovascular disorders as discussed above and are not capable of specifically distinguishing pulmonary embolism amongst other cardiovascular disorders.

With regards to the elected invention of distinguishing pulmonary embolism using elected species of markers comprising BNP, free and complexed troponin T, and C-reactive protein (claims 1-8), the specification discloses that the skilled artisan will recognize that, for example, increased BNP is indicative of CHF, but may also be indicative of other cardiac-related conditions such as MI (p35, paragraph [0121]). Thus, the inclusion of a marker related to myocardial injury such as cardiac troponin I and/or cardiac troponin T could permit further discrimination of the disease underlying the observed dyspnea and the increased BNP level. In this case, an increased level of cardiac troponin may be used to rule in MI (p35, paragraph [0121]). Similarly, BNP may also be indicative of pulmonary embolism (p35, paragraph [0122]). The inclusion of a marker related to coagulation and hemostasis such as D-dimer can permit further discrimination of the disease underlying the observed dyspnea and the increased BNP level (p35, paragraph [0121]). In this case, a normal level of D-dimer may be used to rule out pulmonary embolism (p35, paragraph [0121]). As discussed above, BNP, free and complexed troponin T, and C-reactive protein are not specifically associated with pulmonary embolism. Therefore, D-dimer is used to distinguish pulmonary embolism

Art Unit: 1641

since BNP, free and complexed troponin T, and C-reactive protein do not specifically distinguish pulmonary embolism amongst cardiovascular disorders.

In summary, the specification lists a large number of possible subject-derived markers and suggests the use of various combinations of the subject-derived markers for distinguishing a cardiovascular disorder amongst a plurality of cardiovascular disorders. However, the specification lacks clinical data validating the various biomarker combinations corresponding to a specific cardiovascular disorder to be distinguished, and fails to disclose specific guidance regarding, which specific panels of markers are to be used to distinguish a cardiovascular disorder amongst how many cardiovascular disorders and what levels would be indicative of a specific cardiovascular disorder. Taken together with the breadth of the claims and the unpredictability associated with validation of biomarkers for clinical use, the specification fails to teach the skilled artisan how to make and use the claimed invention in its full scope without further undue experimentation.

Claim Rejections - 35 USC § 112, second paragraph

9. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

10. Claims 1-17 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 1641

11. In claim 1, the term "said markers" in line 7 is vague and indefinite. It is unclear to which subject-derived marker the term "said markers" in line 7 is referring. For the purpose of examination, the term "said markers" in line 7 has been interpreted as referring to either subject-derived markers related to blood pressure regulation and/or subject-derived markers related to myocardial injury.

12. In claim 2, the term "said markers" in line 2 is vague and indefinite. It is unclear to which subject-derived marker the term "said markers" in line 2 is referring. For the purpose of examination, the term "said markers" in line 2 of claim 2 has been interpreted as referring to either subject-derived markers related to blood pressure regulation and/or subject-derived markers related to myocardial injury recited in claim 1.

13. In claim 4, the phrase "wherein said method comprises assaying said sample for the presence or amount of B-type natriuretic peptide or a marker related to B-type natriuretic peptide, creatine kinase-MB, total cardiac troponin I, and myoglobin" is vague and indefinite. It is unclear whether the phrase is indicating assaying of B-type natriuretic peptide or a marker related to B-type natriuretic peptide, creatine kinase-MB, total cardiac troponin I, and myoglobin in addition to subject-derived markers related to blood pressure regulation and subject-derived markers related to myocardial injury as recited in claim 1 or the phrase is indicating that the subject-derived markers related to blood pressure regulation include of B-type natriuretic peptide or a marker related to B-type natriuretic peptide and the subject-derived markers related to myocardial injury

Art Unit: 1641

include creatine kinase-MB, total cardiac troponin I, and myoglobin. For the purpose of examination, the phrase has been interpreted as being the former.

14. In claim 8, the phrase "wherein said method comprises assaying said sample for the presence or amount of B-type natriuretic peptide or a marker related to B-type natriuretic peptide, creatine kinase-MB, total cardiac troponin I, myoglobin, and C-reactive protein" is vague and indefinite. It is unclear whether the phrase is indicating assaying of B-type natriuretic peptide or a marker related to B-type natriuretic peptide, creatine kinase-MB, total cardiac troponin I, myoglobin, and C-reactive protein in addition to subject-derived markers related to blood pressure regulation and subject-derived markers related to myocardial injury as recited in claim 1 or the phrase is indicating that the subject-derived markers related to blood pressure regulation include of B-type natriuretic peptide or a marker related to B-type natriuretic peptide, the subject-derived markers related to myocardial injury include creatine kinase-MB, total cardiac troponin I, and myoglobin, and the subject-derived markers related inflammation include C-reactive protein. For the purpose of examination, the phrase has been interpreted as being the former.

15. In claim 12, the phrase "wherein said method comprises assaying said sample for the presence or amount of B-type natriuretic peptide or a marker related to B-type natriuretic peptide, D-dimer, creatine kinase-MB, total cardiac troponin I, and myoglobin" is vague and indefinite. It is unclear whether the phrase is indicating assaying of B-type

Art Unit: 1641

natriuretic peptide or a marker related to B-type natriuretic peptide, D-dimer, creatine kinase-MB, total cardiac troponin I, and myoglobin in addition to subject-derived markers related to blood pressure regulation and subject-derived markers related to myocardial injury as recited in claim 1 or the phrase is indicating that the subject-derived markers related to blood pressure regulation include of B-type natriuretic peptide or a marker related to B-type natriuretic peptide, the subject-derived markers related to myocardial injury include creatine kinase-MB, total cardiac troponin I, and myoglobin, and the subject-derived markers related to coagulation and hemostasis include D-dimer. For the purpose of examination, the phrase has been interpreted as being the former.

16. In claim 14, the phrase "wherein said method comprises assaying said sample for the presence or amount of B-type natriuretic peptide or a marker related to B-type natriuretic peptide, D-dimer, creatine kinase-MB, total cardiac troponin I, myoglobin, and C-reactive protein" is vague and indefinite. It is unclear whether the phrase is indicating assaying of B-type natriuretic peptide or a marker related to B-type natriuretic peptide, D-dimer, creatine kinase-MB, total cardiac troponin I, myoglobin, and C-reactive protein in addition to subject-derived markers related to blood pressure regulation and subject-derived markers related to myocardial injury as recited in claim 1 or the phrase is indicating that the subject-derived markers related to blood pressure regulation include of B-type natriuretic peptide or a marker related to B-type natriuretic peptide, the subject-derived markers related to myocardial injury include creatine kinase-MB, total cardiac troponin I, and myoglobin, the subject-derived markers related inflammation

Art Unit: 1641

include C-reactive protein, and the subject-derived markers related to coagulation and hemostasis include D-dimer. For the purpose of examination, the phrase has been interpreted as being the former.

17. Claim 17 recites the limitation "said correlating step" in line 1. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

18. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

19. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

20. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of

Art Unit: 1641

the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

21. Claims 1-4, 9-12, 15, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jackowski (U.S. Patent No. 5,710,008, Jan. 20, 1998) in view of Buechler et al. (U.S. Patent No. 5,795,725, Aug. 8, 1998), Baig (*American Heart Journal*, 1998, Vol. 135, ppS216-S230), Kline et al. (*Annals of Emergency Medicine*, February 2000, Vol. 35, pp168-180), and Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577).

Jackowski teaches that the emergency room physician is faced with a dilemma when a patient presents with chest pain and the cause of the chest pain must be determined as soon as possible so that the optimum method of treatment can be selected (column 1, lines 34-38). Specifically, the physician must know if the pain is cardiac in origin or if it originates from some other source as chest pain can result from many causes: gastric discomfort (e.g., indigestion), pulmonary distress, pulmonary embolism, dyspnea, musculoskeletal pain (pulled muscles, bruises) indigestion, pneumothorax, cardiac non-coronary conditions, and acute ischemic coronary syndromes (AICS, column 1, lines 38-50). Diagnosis of the cause of chest pain

Art Unit: 1641

requires differentiation between these conditions, which is difficult because of the similarity of the symptoms (column 2, lines 49-51). Nevertheless, an accurate diagnosis is critical to the health of a patient suffering from chest pain, particularly if the cause is MI (column 2, lines 51-53). It has been known for many years that during a cardiac event, heart tissue releases certain molecules, typically protein molecules, which are characteristic of the event and certain of them are released as a result of both UA and MI, others are released as a result of MI (column 1, lines 53-57). It would appear that the physician could recognize UA and MI simply by selecting cardiac markers or analytes with appropriate ischemic specificity and diagnostic sensitivity and identifying them with antibodies having the required antigen/antibody reactivity (column 2, line 65-column 3, line 2). Jackowski teaches a method of detecting multiple markers associated with MI including creatine-kinase-MB, myoglobin, and total cardiac troponin I for detection of MI among patients suffering from chest pain in order to distinguish one cardiovascular disorder from another (column 8, lines 48-54 and column 10, lines 21-51). However, Jackowski fails to teach a method, wherein B-type natriuretic peptide (BNP) and free and complexed troponin T are used as a plurality of subject-derived markers to characterize a subject's risk of having developed or of developing a pulmonary embolism based on the amount of BNP, free and complexed troponin T, and D-dimer and wherein the amount of at least one of the subject-derived markers is not compared to a predetermined threshold amount.

Buechler et al. teaches assays and methods for the detection and quantification of cardiac specific troponin I and troponin T in body fluids as an indicator of MI

Art Unit: 1641

(Abstract). An understanding of the conformational changes of troponin I and troponin T and the heterogeneity of the proteins in the blood is critical for the development of accurate diagnostic procedures for measuring troponin I and troponin T concentrations (column 2, lines 29-43). Buechler et al. teaches antibodies that specifically recognize troponin I and T in the following forms: 1) intramolecularly oxidized and reduced cysteines, 2 (binary complexes of troponin I and T, of troponin I and C, of troponin T and C and 3) ternary complex of troponin I, T and C (column 3, lines 16-41). The clinical impact of an immunoassay measuring only the free troponin I or T from a patient experiencing MI can be very significant (column 5, lines 59-61). Since the binding of troponin I and T to troponin components in the blood will be variable, depending on the troponin component concentrations, an analysis of the bound and free from of the troponin I and T in the blood must be considered (column 5, lines 61-65).

Baig et al. teaches that plasma brain-type natriuretic peptide (BNP) has a prognostic significance after MI (pS224, left column 2nd paragraph). The elevation of plasma BNP is generally longer lived than that of ANP after MI and has in one study been shown to exhibit a secondary rise at day 5 after MI (pS224, left column 2nd paragraph).

Kline et al. teaches that D-dimer assay offers many of the characteristics that might define the ideal screening tool for pulmonary embolism. The tests are safe, noninvasive, rapid, and inexpensive when compared with the cost of diagnostic imaging. Combined with an objective test of pulmonary gas exchange, D-dimer assays have sufficient sensitivity to reliably distinguish embolism diagnosis (p169, left column,

Art Unit: 1641

Introduction, 3rd paragraph and p177, right column, Implications for Research, 1st paragraph).

Zweig et al. teaches receiver-operating characteristics (ROC) plots as an evaluation tool in clinical performance of laboratory tests (Abstract). The use of ROC plots has many advantages (p568, left column, *Advantages of ROC Plots*). It is a comprehensive representation of pure accuracy, i.e. discriminating ability, over the entire range of the test. It does not require selection of a particular decision threshold because the whole spectrum of possible decision thresholds is included. It is independent of prevalence: No care need be taken to obtain samples with representative prevalence. It provides a direct visual comparison between tests on a common scale, whereas both dot diagrams and frequency histograms require different plots if the scales differ. It requires no grouping or binning of data, as do frequency histograms. Its specificity and sensitivity are readily accessible, in contrast to dot diagrams and frequency histograms.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to employ a method of detecting free and complexed cardiac troponin T as taught by Buechler et al. and a method of detecting BNP as taught by Baig et al. in the method of Jackowski in order to distinguish MI amongst patients suffering from common symptom of chest pain, which includes patients suffering from pulmonary embolism. The advantage of using two biomarkers free and complexed cardiac troponin T and BNP, which have been shown be associated with MI, in addition to the three biomarkers (creatine-kinase-MB, myoglobin, and total cardiac troponin I) of

Art Unit: 1641

Jackowski provides the motivation to combine the teachings of Jackowski, Buechler et al., and Baig et al. with a reasonable expectation of success as the use of additional biomarkers would provide more accurate method of distinguishing MI amongst patients suffering from common symptom of chest pain, which includes patients suffering from pulmonary embolism. Further, it has long been held that it is obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose. *In re Kerhoven*, 626 F.2d 846, 205 USPQ 1069, 1072 (CCPA 1980). In addition, it would have been obvious to one of ordinary skill in the art at the time of the invention to include a method of distinguishing pulmonary embolism on the basis of D-dimer assays combined with an objective test of pulmonary gas exchange as taught by Kline et al. in the method of Jackowski in view of Buechler et al. Baig, and Zweig et al. in order to accurately distinguish pulmonary embolism amongst patients suffering from common symptom of chest pain. The advantage of using a screening assay for pulmonary embolism, which is safe, noninvasive, rapid, and inexpensive, provides the motivation to combine the teachings of Jackowski and Kline et al. with a reasonable expectation of success. Furthermore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use ROC evaluation method of Zweig et al., in which a particular (predetermined) threshold amount is not required, in the method of Jackowski in order to accurately and specifically determine clinical evaluation of laboratory tests of Jackowski. The advantage of analyzing laboratory test results with comprehensive representation of pure accuracy, i.e. discriminating ability, over the entire range of the test, direct visual comparison between tests on a common scale, no grouping or binning

Art Unit: 1641

of data, and readily accessible specificity and sensitivity provides the motivation to combine the teachings of Jackowski and Zweig et al. with a reasonable expectation of success.

22. Claims 5-8, 13, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jackowski (U.S. Patent No. 5,710,008, Jan. 20, 1998) in view of Buechler et al. (U.S. Patent No. 5,795,725, Aug. 8, 1998), Baig (*American Heart Journal*, 1998, Vol. 135, ppS216-S230), Kline et al. (*Annals of Emergency Medicine*, February 2000, Vol. 35, pp168-180), and Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claim 1 above, and further in view of Holvoet et al. (U.S. Patent No. 6,309,888, Filed Sept. 4, 1998).

Jackowski in view of Buechler et al., Baig, Kline et al., and Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, Jackowski in view of Buechler et al., Baig, Kline et al., and Zweig et al. fails to teach a method, further comprising assaying the sample for the presence or amount of C-reactive protein.

Holvoet et al. teaches a method of detecting plurality of markers for accurate diagnosis of MI (column 21, lines 52-65). The markers include OxLDL, MDA-modified LDL, troponin, and C-reactive protein (column 21, lines 52-65). The area under the ROC-curve (AUC) measures diagnostic accuracy of a marker, where minimum value of 0.5 is required for a diagnostic marker (column 21, lines 52-65). The markers including

Art Unit: 1641

OxLDL, MDA-modified LDL, troponin, and C-reactive protein (CRP) have an AUC above the minimum AUC value of 0.5 (column 21, lines 52-65).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include additional markers of MI including CRP as taught by Holvoet et al. in the method of Jackowski in view of Buechler et al., Baig, Kline et al., and Zweig et al. in order to accurately diagnose MI amongst patients suffering from common symptom of chest pain. The advantage of accurately diagnose MI amongst patients suffering from common symptom of chest pain provides the motivation to combine teachings of Jackowski in view of Buechler et al., Baig, Kline et al., and Zweig et al. and Holvoet et al. with a reasonable expectation of success as use of multiple markers would provide more accurate diagnostic methods for MI. Further, it has long been held that it is obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose. *In re Kerhoven*, 626 F.2d 846, 205 USPQ 1069, 1072 (CCPA 1980).

23. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jackowski (U.S. Patent No. 5,710,008, Jan. 20, 1998) in view of Buechler et al. (U.S. Patent No. 5,795,725, Aug. 8, 1998), Baig (*American Heart Journal*, 1998, Vol. 135, ppS216-S230), Kline et al. (*Annals of Emergency Medicine*, February 2000, Vol. 35, pp168-180), and Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claim 1 above, and further in view of Heesch et al. (*The Lancet*, 1999, Vol. 354, pp1757-1762).

Jackowski in view of Buechler et al., Baig, Kline et al., and Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, Jackowski in view of Buechler et al., Baig, Kline et al., and Zweig et al. fails to teach a method, wherein the correlating step comprises comparing at least one marker amount to a predetermined threshold level.

Heeschen et al. teaches a method of measuring cardiac troponin T (free and complexed) concentration in patients for diagnostic and risk stratification of patients with acute coronary syndromes such as MI (Abstract). Patients with positive troponin T (greater than a threshold concentration of 0.1 µg/L) received tirofiban infusion therapy to effectively lower the incidence of death and MI (p1760, left column, *Troponin T*, 3rd paragraph).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of correlating free and complexed cardiac troponin T levels in patients to a predetermined threshold level as taught by Heeschen et al. in the method of Jackowski in view of Buechler et al., Baig, Kline et al., and Zweig et al. in order to assess diagnostic and risk stratification of patients with acute coronary syndromes such as MI. The advantage of selecting a treatment option associated with a threshold level of free and complexed troponin T levels in patients provides the motivation to combine the teachings of Jackowski in view of Buechler et al., Baig, Kline et al., and Zweig et al. and Heeschen et al. with a reasonable expectation of success.

Double Patenting

24. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

25. Application No. 10/139,086

Claims 1-3, 5-7, 9-11, 13, and 15 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 82-91 of copending Application No. 10/139,086 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577).

The copending Application teaches a method for analyzing a subject sample for a plurality of subject-derived markers selected to distinguish acute coronary syndrome comprising assaying the sample for the presence or amount of BNP, free and

Art Unit: 1641

complexed cardiac troponin T, CRP, and D-dimer to characterize the subject's risk of having developed or of developing acute coronary syndrome. However, the copending Application fails to teach a method, wherein the amount of at least one or more subject-derived markers are not compared to a predetermined threshold amount.

Zweig et al. teaches receiver-operating characteristics (ROC) plots as an evaluation tool in clinical performance of laboratory tests as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use ROC evaluation method of Zweig et al., in which a particular (predetermined) threshold amount is not required, in the method of the copending Application in order to accurately and specifically determine clinical evaluation of laboratory tests of the copending Application. The advantage of analyzing laboratory test results with comprehensive representation of pure accuracy, i.e. discriminating ability, over the entire range of the test, direct visual comparison between tests on a common scale, no grouping or binning of data, and readily accessible specificity and sensitivity provides the motivation to combine the teachings of the copending Application and Zweig et al. with a reasonable expectation of success.

Claims 4, 8, 12, and 14 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 82-91 of copending Application No. 10/139,086 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claims 1, 3, 5, 7, 9, 11, and 13 above, and further in view of Jackowski (U.S. Patent No. 5,710,008, Jan. 20, 1998).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, further comprising a step of assaying the sample for the presence or amount of myoglobin.

Jackowski teaches a method of detecting multiple markers associated with MI including creatine-kinase-MB, myoglobin, and total cardiac troponin I for detection of MI among patients suffering from chest pain (column 10, lines 21-51) as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of detecting additional markers of MI such as creatine-kinase-MB, myoglobin, and total cardiac troponin I as taught by Jackowski in the method of the copending Application in view of Zweig et al. in order to distinguish MI amongst patients suffering from common symptom of chest pain. The advantage of using additional biomarkers such as creatine-kinase-MB, myoglobin, and total cardiac troponin I, which have been shown be associated with MI, in addition to the biomarkers of the copending Application provides the motivation to combine the teachings of the copending Application in view of Zweig et al. and Jackowski with a reasonable expectation of success as use of additional biomarkers would provide more accurate method of distinguishing MI amongst patients suffering from common symptom of chest pain. Further, it has long been held that it is obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose. *In re Kerhoven*, 626 F.2d 846, 205 USPQ 1069, 1072 (CCPA 1980).

Claim 16 is provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 82-91 of copending Application No. 10/139,086 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claim 1 above, and further in view of Kline et al. (*Annals of Emergency Medicine*, February 2000, Vol. 35, pp168-180).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, further comprising assaying the sample for the presence or amount of D-dimer for distinguishing pulmonary embolism amongst a plurality of cardiovascular disorders.

Kline et al. teaches that D-dimer assay for reliably distinguishing embolism diagnosis as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include a method of distinguishing pulmonary embolism on the basis of D-dimer assays combined with an objective test of pulmonary gas exchange as taught by Kline et al. in the method of the copending Application in view of Zweig et al. in order to accurately distinguish pulmonary embolism amongst patients suffering from common symptom of chest pain. The advantage of using a screening assay for pulmonary embolism, which is safe, noninvasive, rapid, and inexpensive, provides the

Art Unit: 1641

motivation to combine the teachings of the copending Application in view of Zweig et al. and Kline et al. with a reasonable expectation of success.

Claim 17 is provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 82-91 of copending Application No. 10/139,086 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claim 1 above, and further in view of Heesch et al. (*The Lancet*, 1999, Vol. 354, pp1757-1762).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, wherein the correlating step comprises comparing at least one marker amount to a predetermined threshold level.

Heesch et al. teaches a method of measuring cardiac troponin T (free and complexed) as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of correlating free and complexed troponin T levels in patients to a predetermined threshold level as taught by Heesch et al. in the method of the copending Application in view of Zweig et al. in order to assess diagnostic and risk stratification of patients with acute coronary syndromes such as MI. The advantage of selecting a treatment option associated with a threshold level of free and complexed troponin T levels in patients provides the motivation to combine

Art Unit: 1641

the teachings of the copending Application in view of Zweig et al. and Heeschen et al. with a reasonable expectation of success.

This is a provisional obviousness-type double patenting rejection.

26. Application No. 10/330,696

Claims 1-3, 9-12, 15, and 16 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 58-71 of copending Application No. 10/330,696 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577).

The copending Application teaches a method for analyzing a subject sample for a plurality of subject-derived markers selected to distinguish MI, pulmonary embolism, and congestive hear failure comprising assaying the sample for the presence or amount of BNP, free and complexed cardiac troponin T, and D-dimer to characterize the subject's risk of having developed or of developing MI, pulmonary embolism, and congestive hear failure. However, the copending Application fails to teach a method, wherein the amount of at least one or more subject-derived markers are not compared to a predetermined threshold amount.

Zweig et al. teaches receiver-operating characteristics (ROC) plots as an evaluation tool in clinical performance of laboratory tests as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use ROC evaluation method of Zweig et al., in which a particular (predetermined) threshold amount is not required, in the method of the copending

Art Unit: 1641

Application in order to accurately and specifically determine clinical evaluation of laboratory tests of the copending Application. The advantage of analyzing laboratory test results with comprehensive representation of pure accuracy, i.e. discriminating ability, over the entire range of the test, direct visual comparison between tests on a common scale, no grouping or binning of data, and readily accessible specificity and sensitivity provides the motivation to combine the teachings of the copending Application and Zweig et al. with a reasonable expectation of success.

Claims 4 and 12 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 58-71 of copending Application No. 10/330,696 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claims 1, 3, 9, and 11 above, and further in view of Jackowski (U.S. Patent No. 5,710,008, Jan. 20, 1998).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, further comprising a step of assaying the sample for the presence or amount of myoglobin.

Jackowski teaches a method of detecting multiple markers associated with MI including creatine-kinase-MB, myoglobin, and total cardiac troponin I for detection of MI among patients suffering from chest pain (column 10, lines 21-51) as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of detecting additional markers of MI such as creatine-kinase-MB, myoglobin, and total cardiac troponin I as taught by Jackowski in the method of the copending Application in view of Zweig et al. in order to distinguish MI amongst patients suffering from common symptom of chest pain. The advantage of using additional biomarkers such as creatine-kinase-MB, myoglobin, and total cardiac troponin I, which have been shown be associated with MI, in addition to the biomarkers of the copending Application provides the motivation to combine the teachings of the copending Application in view of Zweig et al. and Jackowski with a reasonable expectation of success as use of additional biomarkers would provide more accurate method of distinguishing MI amongst patients suffering from common symptom of chest pain. Further, it has long been held that it is obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose. *In re Kerhoven*, 626 F.2d 846, 205 USPQ 1069, 1072 (CCPA 1980).

Claims 5-7 and 13 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 58-71 of copending Application No. 10/330,696 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claim 1 above, and further in view of Holvoet et al. (U.S. Patent No. 6,309,888, Filed Sept. 4, 1998).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a

Art Unit: 1641

plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, further comprising assaying the sample for the presence or amount of C-reactive protein.

Holvoet et al. teaches a method of detecting plurality of markers including OxLDL, MDA-modified LDL, troponin, and C-reactive protein for accurate diagnosis of MI as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include additional markers of MI including CRP as taught by Holvoet et al. in the method of the copending Application in view of Zweig et al. in order to accurately diagnose MI amongst patients suffering from common symptom of chest pain. The advantage of accurately diagnose MI amongst patients suffering from common symptom of chest pain provides the motivation to combine teachings of the copending Application in view of Zweig et al. and Holvoet et al. with a reasonable expectation of success as use of multiple markers would provide more accurate diagnostic methods for MI. Further, it has long been held that it is obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose. *In re Kerhoven*, 626 F.2d 846, 205 USPQ 1069, 1072 (CCPA 1980).

Claims 8 and 14 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 58-71 of copending Application No. 10/330,696 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) and Holvoet et al. (U.S. Patent No. 6,309,888, Filed Sept. 4, 1998)

Art Unit: 1641

as applied to claims 5, 7, and 13 above, and further in view of Jackowski (U.S. Patent No. 5,710,008, Jan. 20, 1998).

The copending Application in view of Zweig et al. and Holvoet et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above.

However, the copending Application in view of Zweig et al. and Holvoet et al. fails to teach a method, further comprising a step of assaying the sample for the presence or amount of myoglobin.

Jackowski teaches a method of detecting multiple markers associated with MI including creatine-kinase-MB, myoglobin, and total cardiac troponin I for detection of MI among patients suffering from chest pain (column 10, lines 21-51) as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of detecting additional markers of MI such as creatine-kinase-MB, myoglobin, and total cardiac troponin I as taught by Jackowski in the method of copending Application in view of Zweig et al. and Holvoet et al. in order to distinguish MI amongst patients suffering from common symptom of chest pain. The advantage of using additional biomarkers such as creatine-kinase-MB, myoglobin, and total cardiac troponin I, which have been shown be associated with MI, in addition to the biomarkers of the copending Application provides the motivation to combine the teachings of the copending Application in view of Zweig et al. and Holvoet et al. and Jackowski with a reasonable expectation of success as use of additional biomarkers would provide more accurate method of distinguishing MI amongst patients

Art Unit: 1641

suffering from common symptom of chest pain. Further, it has long been held that it is obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose. *In re Kerhoven*, 626 F.2d 846, 205 USPQ 1069, 1072 (CCPA 1980).

Claim 17 is provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 58-71 of copending Application No. 10/330,696 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claim 1 above, and further in view of Heesch et al. (*The Lancet*, 1999, Vol. 354, pp1757-1762).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, wherein the correlating step comprises comparing at least one marker amount to a predetermined threshold level.

Heesch et al. teaches a method of measuring cardiac troponin T (free and complexed) as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of correlating free and complexed troponin T levels in patients to a predetermined threshold level as taught by Heesch et al. in the method of the copending Application in view of Zweig et al. in order to assess diagnostic and risk stratification of patients with acute coronary syndromes such

Art Unit: 1641

as MI. The advantage of selecting a treatment option associated with a threshold level of free and complexed troponin T levels in patients provides the motivation to combine the teachings of the copending Application in view of Zweig et al. and Heeschen et al. with a reasonable expectation of success.

This is a provisional obviousness-type double patenting rejection.

27. Application No. 10/728,067

Claims 1-3, 5-7, 9-11, 13, 15, and 16 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-44 of copending Application No. 10/728,067 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577).

The copending Application teaches a method for analyzing a subject sample for a plurality of subject-derived markers selected to distinguish MI, pulmonary embolism, congestive hear failure, and other cardiovascular disorders comprising assaying the sample for the presence or amount of BNP, free and complexed cardiac troponin T, CRP, and D-dimer to characterize the subject's risk of having developed or of developing MI, pulmonary embolism, congestive hear failure, and other cardiovascular disorders. However, the copending Application fails to teach a method, wherein the amount of at least one or more subject-derived markers are not compared to a predetermined threshold amount.

Zweig et al. teaches receiver-operating characteristics (ROC) plots as an evaluation tool in clinical performance of laboratory tests as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use ROC evaluation method of Zweig et al., in which a particular (predetermined) threshold amount is not required, in the method of the copending Application in order to accurately and specifically determine clinical evaluation of laboratory tests of the copending Application. The advantage of analyzing laboratory test results with comprehensive representation of pure accuracy, i.e. discriminating ability, over the entire range of the test, direct visual comparison between tests on a common scale, no grouping or binning of data, and readily accessible specificity and sensitivity provides the motivation to combine the teachings of the copending Application and Zweig et al. with a reasonable expectation of success.

Claims 4, 8, 12, and 14 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-44 of copending Application No. 10/728,067 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claims 1, 3, 5, 7, 9, 11, and 13 above, and further in view of Jackowski (U.S. Patent No. 5,710,008, Jan. 20, 1998).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, further comprising a step of assaying the sample for the presence or amount of myoglobin.

Art Unit: 1641

Jackowski teaches a method of detecting multiple markers associated with MI including creatine-kinase-MB, myoglobin, and total cardiac troponin I for detection of MI among patients suffering from chest pain (column 10, lines 21-51) as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of detecting additional markers of MI such as creatine-kinase-MB, myoglobin, and total cardiac troponin I as taught by Jackowski in the method of the copending Application in view of Zweig et al. in order to distinguish MI amongst patients suffering from common symptom of chest pain. The advantage of using additional biomarkers such as creatine-kinase-MB, myoglobin, and total cardiac troponin I, which have been shown be associated with MI, in addition to the biomarkers of the copending Application provides the motivation to combine the teachings of the copending Application in view of Zweig et al. and Jackowski with a reasonable expectation of success as use of additional biomarkers would provide more accurate method of distinguishing MI amongst patients suffering from common symptom of chest pain. Further, it has long been held that it is obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose. *In re Kerhoven*, 626 F.2d 846, 205 USPQ 1069, 1072 (CCPA 1980).

Claim 17 is provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-44 of copending Application No. 10/728,067 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as

Art Unit: 1641

applied to claim 1 above, and further in view of Heeschan et al. (The Lancet, 1999, Vol. 354, pp1757-1762).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, wherein the correlating step comprises comparing at least one marker amount to a predetermined threshold level.

Heeschen et al. teaches a method of measuring cardiac troponin T (free and complexed) as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of correlating free and complexed troponin T levels in patients to a predetermined threshold level as taught by Heeschen et al. in the method of the copending Application in view of Zweig et al. in order to assess diagnostic and risk stratification of patients with acute coronary syndromes such as MI. The advantage of selecting a treatment option associated with a threshold level of free and complexed troponin T levels in patients provides the motivation to combine the teachings of the copending Application in view of Zweig et al. and Heeschen et al. with a reasonable expectation of success.

This is a provisional obviousness-type double patenting rejection.

28. Application No. 11/205,571

Claims 1-3, 5-8, and 15 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-9 of copending Application No. 11/205,571 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577).

The copending Application teaches a method for analyzing a subject sample for a plurality of subject-derived markers selected to distinguish MI, comprising assaying the sample for the presence or amount of BNP, free and complexed cardiac troponin T, and CRP to characterize the subject's risk of having developed or of developing MI. However, the copending Application fails to teach a method, wherein the amount of at least one or more subject-derived markers are not compared to a predetermined threshold amount.

Zweig et al. teaches receiver-operating characteristics (ROC) plots as an evaluation tool in clinical performance of laboratory tests as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use ROC evaluation method of Zweig et al., in which a particular (predetermined) threshold amount is not required, in the method of the copending Application in order to accurately and specifically determine clinical evaluation of laboratory tests of the copending Application. The advantage of analyzing laboratory test results with comprehensive representation of pure accuracy, i.e. discriminating ability, over the entire range of the test, direct visual comparison between tests on a common scale, no grouping or binning of data, and readily accessible specificity and

Art Unit: 1641

sensitivity provides the motivation to combine the teachings of the copending Application and Zweig et al. with a reasonable expectation of success.

Claims 4 and 8 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-9 of copending Application No. 11/205,571 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claims 1, 3, and 5 above, and further in view of Jackowski (U.S. Patent No. 5,710,008, Jan. 20, 1998).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, further comprising a step of assaying the sample for the presence or amount of myoglobin.

Jackowski teaches a method of detecting multiple markers associated with MI including creatine-kinase-MB, myoglobin, and total cardiac troponin I for detection of MI among patients suffering from chest pain (column 10, lines 21-51) as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of detecting additional markers of MI such as creatine-kinase-MB, myoglobin, and total cardiac troponin I as taught by Jackowski in the method of the copending Application in view of Zweig et al. in order to distinguish MI amongst patients suffering from common symptom of chest pain. The advantage of using additional biomarkers such as creatine-kinase-MB, myoglobin, and

Art Unit: 1641

total cardiac troponin I, which have been shown be associated with MI, in addition to the biomarkers of the copending Application provides the motivation to combine the teachings of the copending Application in view of Zweig et al. and Jackowski with a reasonable expectation of success as use of additional biomarkers would provide more accurate method of distinguishing MI amongst patients suffering from common symptom of chest pain. Further, it has long been held that it is obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose. *In re Kerhoven*, 626 F.2d 846, 205 USPQ 1069, 1072 (CCPA 1980).

Claim 17 is provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-9 of copending Application No. 11/205,571 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claim 1 above, and further in view of Heeschan et al. (*The Lancet*, 1999, Vol. 354, pp1757-1762).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, wherein the correlating step comprises comparing at least one marker amount to a predetermined threshold level.

Heeschen et al. teaches a method of measuring cardiac troponin T (free and complexed) as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of correlating free and complexed troponin T levels in patients to a predetermined threshold level as taught by Heeschen et al. in the method of the copending Application in view of Zweig et al. in order to assess diagnostic and risk stratification of patients with acute coronary syndromes such as MI. The advantage of selecting a treatment option associated with a threshold level of free and complexed troponin T levels in patients provides the motivation to combine the teachings of the copending Application in view of Zweig et al. and Heeschen et al. with a reasonable expectation of success.

This is a provisional obviousness-type double patenting rejection.

29. Application No. 11/450,150

Claims 1-3, 5-7, 9-11, 13, 15, and 16 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-63 of copending Application No. 11/450,150 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577).

The copending Application teaches a method for analyzing a subject sample for a plurality of subject-derived markers selected to distinguish pulmonary embolism comprising assaying the sample for the presence or amount of BNP, free and complexed cardiac troponin T, CRP, and D-dimer to characterize the subject's risk of having developed or of developing pulmonary embolism. However, the copending

Art Unit: 1641

Application fails to teach a method, wherein the amount of at least one or more subject-derived markers are not compared to a predetermined threshold amount.

Zweig et al. teaches receiver-operating characteristics (ROC) plots as an evaluation tool in clinical performance of laboratory tests as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use ROC evaluation method of Zweig et al., in which a particular (predetermined) threshold amount is not required, in the method of the copending Application in order to accurately and specifically determine clinical evaluation of laboratory tests of the copending Application. The advantage of analyzing laboratory test results with comprehensive representation of pure accuracy, i.e. discriminating ability, over the entire range of the test, direct visual comparison between tests on a common scale, no grouping or binning of data, and readily accessible specificity and sensitivity provides the motivation to combine the teachings of the copending Application and Zweig et al. with a reasonable expectation of success.

Claims 4, 8, 12, and 14 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-63 of copending Application No. 11/450,150 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claims 1, 3, 5, 7, 9, 11, and 13 above, and further in view of Jackowski (U.S. Patent No. 5,710,008, Jan. 20, 1998).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a

plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, further comprising a step of assaying the sample for the presence or amount of myoglobin.

Jackowski teaches a method of detecting multiple markers associated with MI including creatine-kinase-MB, myoglobin, and total cardiac troponin I for detection of MI among patients suffering from chest pain (column 10, lines 21-51) as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of detecting additional markers of MI such as creatine-kinase-MB, myoglobin, and total cardiac troponin I as taught by Jackowski in the method of the copending Application in view of Zweig et al. in order to distinguish MI amongst patients suffering from common symptom of chest pain. The advantage of using additional biomarkers such as creatine-kinase-MB, myoglobin, and total cardiac troponin I, which have been shown be associated with MI, in addition to the biomarkers of the copending Application provides the motivation to combine the teachings of the copending Application in view of Zweig et al. and Jackowski with a reasonable expectation of success as use of additional biomarkers would provide more accurate method of distinguishing MI amongst patients suffering from common symptom of chest pain. Further, it has long been held that it is obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose. *In re Kerhoven*, 626 F.2d 846, 205 USPQ 1069, 1072 (CCPA 1980).

Claim 17 is provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-63 of copending Application No. 11/450,150 in view of Zweig et al. (*Clinical Chemistry*, 1993, Vol. 39, pp567-577) as applied to claim 1 above, and further in view of Heeschan et al. (*The Lancet*, 1999, Vol. 354, pp1757-1762).

The copending Application in view of Zweig et al. teaches a method of analyzing a subject sample for a plurality of subject markers selected to distinguish amongst a plurality of cardiovascular disorders as discussed above. However, the copending Application in view of Zweig et al. fails to teach a method, wherein the correlating step comprises comparing at least one marker amount to a predetermined threshold level.

Heeschen et al. teaches a method of measuring cardiac troponin T (free and complexed) as discussed above.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to further include a method of correlating free and complexed troponin T levels in patients to a predetermined threshold level as taught by Heeschen et al. in the method of the copending Application in view of Zweig et al. in order to assess diagnostic and risk stratification of patients with acute coronary syndromes such as MI. The advantage of selecting a treatment option associated with a threshold level of free and complexed troponin T levels in patients provides the motivation to combine the teachings of the copending Application in view of Zweig et al. and Heeschen et al. with a reasonable expectation of success.

This is a provisional obviousness-type double patenting rejection.

Prior Art of Record

30. The prior art of record and not relied upon is considered pertinent to applicants' disclosure.

- Indik et al. (Progress in Cardiovascular Diseases, 2000, Vol. 42, pp261-272) teaches a method of detecting pulmonary embolism by D-dimer assay, spiral computed tomography (CT), and magnetic resonance imaging (MRI).
- Thomas et al. (U.S. PG Pub. No. US 2002/0106708 A1, Filed on Nov. 13, 2000) teaches immunoassays for detecting creatine kinase-MB, troponin I and T, BNP, D-dimer, and myoglobin.

Conclusion

31. No claim is allowed.

32. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Unsu Jung whose telephone number is 571-272-8506.


The examiner can normally be reached on M-F: 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long Le can be reached on 571-272-0823. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1641

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Unsu Jung, Ph.D.
Patent Examiner
Art Unit 1641


LONG V. LE 09/01/06
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600